

# TECHNICAL DATA SHEET



## **HARD & SHINE**

PROTECTION FOR DURABLE SURFACES

**LONG-LASTING SHINE & PROTECTION FOR  
MARBLE, LIMESTONE, CONCRETE,  
& OTHER DURABLE SURFACES**

**40 GROSSETT DRIVE, SUITE 200, KIRKWOOD, NY 13795  
1 (800) 475-1975 • (607) 775-1948 • WWW.TRINIC.US • @TRINICLLC**   

## **DESCRIPTION**

Hard & Shine is a long lasting renewable finish for marble, limestone, granite, tile and concrete. Specifications: solids 22% VOC: ~25g/L gloss (typical): 60°F

## **BENEFITS OF USE**

- Beautiful high-gloss or mirror finish with a light buff
- Superior hardness and abrasion - resistance for extended durability
- Maximum protection in the class of renewable finishes
- No yellowing or stone discoloration
- Easy touch-up of traffic patterns, no stripping required
- Meets ADA coefficient of friction standards (ASTM F1677) 0.55-0.69
- Hard & Shine is break-through technology with several of the very newest chemical components available for renewable finishes.
- Delivers all the visual benefits of traditional “pink” and other polish sprays but it adds superior protection that polishing with conventional products simply cannot achieve.

## **SURFACE PREPARATION**

Surface must be clean, free of dust, dirt, mildew, oil, grease, paint, sealers, curing agents, waxes, and surface contamination.

Only deep scratches will need to be addressed prior to TC-Hard & Shine. Minor scratches will be filled.

## **APPLICATION**

Use a new short-shag roller, paint pad or mop. The polish will dry to a high-gloss, super-durable finish. For mirror finish, buff with sheepskin or other buffing pad 3 - 4 hours after application.

## **PACKAGING**

Quart  
Gallon  
5 Gallon

## **COVERAGE/YIELD**

Approximately 1,500 sq ft per gallon

## **SHELF LIFE/STORAGE**

Shelf Life: 1 year

Storage: Keep in sealed container and away from contaminants.

## **DISPOSAL**

Follow all federal, state, and local regulations when disposing of this product.

## **LIMITATIONS**

Use in accordance with the information contained in this document. Refer to Trinic's application video and / or call Trinic with any questions.

## **WARRANTY**

Warranty of this product, when used according to the directions, is limited to refund of purchase price, or replacement of product (if defective), at manufacturer / seller's option. Trinic products shall not be liable for cost of labor or direct and/or incidental consequential damages.

## **SAFETY DATA SHEET**

SDS for all Trinic products can be found on our website or by contacting us directly.